# Fixed Segmentism in Palauan Multiple Reduplications

# Tomoko Kawamura State University of New York at Stony Brook

# 1. Introduction

Palauan is a language with two reduplicative morphemes, a CVCV-reduplicant (1) and a  $C\epsilon$ -reduplicant (2). The prefix /mə-/ is a verb marker. Reduplicants are marked with underlines for CVCV-reduplicants and double underlines for C $\epsilon$ -reduplicants.

# (1) CVCV-reduplication (Josephs 1990)

unreduplicated form		reduplicated for	m	
məlo?əd	'break'	mə <u>lə?ə</u> ló?əd	'easily broken'	
mətɛŋəl	'come down'	mə <u>tənə</u> téŋəl	'keep coming down'	
məsú?əd	'talk harshly'	mə <u>sə?ə</u> sú?əd	'always talk harshly'	

# (2) $C\varepsilon$ -reduplication (Josephs 1990)

unreduplicated form		reduplicated form		
mətəgói məsulául mə?ú?əp	'be talked to' 'sleepy' 'cloudy'	mə <u>tε</u> təgói mə <u>se</u> sulául mə <u>?c</u> ?ú?əp	'easy to talk to' 'kind of sleepy' 'rather cloudy'	

McCarthy and Prince (1994) have argued that partial reduplication can be described without using templates. Because faithfulness requirements on input-output correspondence do not apply to the reduplicant, what emerges in the reduplicant is the least marked structure, as defined by the phonological constraints of the language.

Languages that have different reduplicative morphemes with different shapes appear to be problematic for this claim. However, Urbanczyk (1999) has claimed that in a language which has multiple reduplications, the reduplicative morphemes are categorized as either roots or affixes and the two reduplicative morphemes are realized differently because faithfulness requirements on roots are stronger than general faithfulness requirements. Therefore, according to this claim, root reduplicants have more faithful structures than affix reduplicants where the shape of reduplicants differs.

If Urbanczyk's claim is correct, we should be able to choose one of the Palauan reduplicant as a root and the other as an affix. When the ROOT MAX BR dominates some markedness constraints on the minimal word which dominates the general MAX BR, as ROOT MAX BR » markedness (minimal word) » Max BR, more segments are copied in the root reduplicant than in the affix reduplicant. Thus, the length of the reduplicants suggests that the CVCV-reduplicants are roots and Cε-reduplicants are affixes. When we look at the vowels in the reduplicants, however, the default vowel [Θ] appears in the CVCV-reduplicants, but the more marked vowel [ε] always appears in the Cε-reduplicants. The fixed segment [ε]

in the C $\epsilon$ -reduplicant appears to be problematic not only for the root/affix account, but for Alderete et. al's (1999) analysis of fixed segments in reduplication, as well. Alderete et. al argue that phonologically fixed segments in reduplicants represent the emergence of the unmarked (TETU). Thus, the fixed segment of Palauan reduplicants should be the default vowel [ $\epsilon$ ], but in fact, the fixed segment in the C $\epsilon$ -reduplicant is [ $\epsilon$ ].

In this paper, I argue that this apparent problem is accounted for by the interaction of constraints. For the fixed segment [ɛ] in Cɛ-reduplication, I argue that [ɛ] is the second least marked vowel in Palauan, which appears when the default vowel [ə] cannot appear. I show that the Palauan facts are not only consistent with the proposals of Urbanczyk (1999) and Alderete et. al (1999), but they actually provide support of their claims. In the following section, I discuss Urbanczyk's (1999) arguments concerning ROOT faithfulness in reduplication and possible asymmetries between affix reduplicants and root reduplicants. In Section 3, I introduce Palauan reduplication and discuss Finer's (1986) observations on the resulting state verb (RSV) form. I show that the RSV forms support the classification that Ce-reduplicants are affixes, and CVCV-reduplicants are roots. In Section 4, I discuss the shape and vowel quality of the two reduplicants. The CVCV-reduplicant has three variants: CoCo, CoC and CV. I explain this variation, illustrating why [ə] appears in the first two variations. Then, I discuss the shape and vowel quality of the Ce-reduplicant, arguing that the fixed segment [ɛ] in Cɛ-reduplication is a special case of TETU. I show that root faithfulness constraints are crucial in determining the shape and vowel quality of the reduplicants. Section 5 is the conclusion.

# 2. Root/Affix Asymmetries

Steriade (1995) pointed out that roots allow more marked structure than affixes. Beckman (1997) translated this observation into correspondence theory, proposing two types of correspondence relations: general correspondence and restricted correspondence, including root faithfulness constraints. These faithfulness constraints may require roots to be more faithful than affixes.

Urbanczyk (1999), examining reduplication in Lushootseed, argued that interaction of ROOT faithfulness constraints on base-reduplicant (ROOT BR) faithfulness, general faithfulness constraints, and markedness constraints explains the realization of two types of reduplication. When a ROOT BR faithfulness constraint dominates some markedness constraint, the root reduplicant can have the marked structure. However, Root BR faithfulness constraints do not say anything about the affix reduplicant. So, if the markedness constraint which is dominated by the ROOT BR faithfulness constraint dominates the general BR faithfulness constraints, the marked structure cannot appear in the affix reduplicant and we get two distinct shapes of reduplicants. Following is her Lushootseed examples.

# (3) a. Lushootseed Distributive (DIST) Reduplication (Urbanczyk 1999)

root		reduplication	
sáq w	'fly'	<u>sáq</u> wsaqw	'fly here and there'
jésəd	'foot'	<u>jés</u> jesed	'feet'
lág™əb	'young man"	<u>lág</u> lag wab	'young men'

# b. Lushootseed Diminutive (DIM) Reduplication

root		reduplicatio	reduplication		
?ál?al	'house"	<u>?á</u> ?al?al	'hut'		
jésed	'foot"	<u>jí</u> jəsəd	'little foot"		
təd <sup>z</sup> íl	'lie in bed"	<u>tí</u> təd <sup>z</sup> il	'lie down for a little while'		

In Lushootseed, [e] in the base is preserved in the DIST reduplicant with stress as [é], but it cannot appear in the DIM reduplicant, which has the stressed default vowel [í]. Urbanczyk analyzes the DIST reduplicants as roots and the DIM reduplicants as affixes. Because the ROOT BR-faithfulness constraint (ROOT Ident BR) dominates the markedness constraint \*[é], which bans stressed schwas, [é] can appear in the root reduplicants, but not in the affix reduplicants.

(4) a. Lushootseed DIST (root) reduplication

RED <sub>root</sub> -/jəsəd/	ROOT IDENT BR	*[é]	IDENT BR
ுa. <u>jés</u> jesed		*	
b. <u>jís</u> jesed	*!		*

b. Lushootseed DIM (affix) reduplication

RED <sub>affix</sub> -/jesed/	ROOT IDENT BR	*[é]	IDENT BR
a. j́éjesed		*!	
ுb. <u>jí</u> jəsəd			*

The difference in the morphological status of DIST and DIM reduplicants accounts for the occurrence of two types of reduplication in Lushootseed.

This analysis has one important implication. Both ROOT BR faithfulness constraints and general BR faithfulness constraints require the root reduplicant to be identical to the base. However, only general BR faithfulness constraints require the affix reduplicant to be identical with the base. Therefore, root reduplicants can be more faithful to the base than affix reduplicants. Furthermore, this analysis implies that root reduplicants can have more marked structure than affix reduplicants, but not vice versa.

If one reduplicant is an affix and the other a root in Palauan, we predict that root reduplicants will be more faithful and will allow more marked structures than affix reduplicants. In the next section, I examine the question whether Palauan reduplications are consistent with these claims.

# 3. Two types of Reduplication

# 3.1. Palauan Reduplication

Palauan is a Western Malayo-Polynesian language, spoken in the Republic of Palau by 15,000 speakers. It has 6 vowels ([ $\Theta$ ] and 5 full vowels; [I], [I], [I], [I], and [I]). [I] is the default vowel and it cannot bear stress (Wilson 1972). As shown above, Palauan has two types of reduplication. The CVCV-type has several variants, namely CICIC, and CV.

# (5) CVCV-reduplication (Josephs 1990)

# a. CeCe-form

unreduplica	ited form	reduplicated for	m
mər <b>ébə</b> k	'grope at'	mə <u>rəbə</u> r£bək	'grope around'
məsú?əd	'talk harshly'	mə <u>sə?ə</u> sú?əd	'always talk harshly'
b. <i>CəC-form</i>			
unreduplica	ited form	reduplicated for	rm
mə <b>rám</b>	'be mixed'	mə <u>rəm</u> rám	'easy to mix'
məsóŋdə	'break'	mə <u>sən</u> sóndə	'keep breaking'
c. CV-form			
unreduplica	ited form	reduplicated for	rm
məŋióklə	'be cooked'	mə <u>ni</u> nióklə	'easy to cook'
məsúub	'get studied'	mə <u>su</u> súub	'easy to study'

In most cases, we can predict which form appears from the shape of the base form. In C $\epsilon$ -reduplication, the reduplicant always consists of [ $\epsilon$ ] and a copy of the first consonant of the root.

# (6) Cε-reduplication (Josephs 1990)

unreduplicat	ed form	reduplicated to	reduplicated form		
mətəgói	'be talked to'	mə <u>ts</u> təgói	'easy to talk to'		
mə?úu	'shady'	mə <u>?e</u> ?úu	'fairy shady'		
məsulául	'sleepy'	mə <u>ss</u> sulául	'kind of sleepy'		

Note that the default vowel  $[\theta]$  does not appear, but the more marked vowel  $[\epsilon]$  appears in the C $\epsilon$ -reduplicant.

# 3.2. The Resulting Stative Verb (RSV)-form

Finer (1986) observes that the resulting state verb (RSV) marker is realized differently in CVCV-reduplication and Ce-reduplication. In the unreduplicated form, the RSV marker /- I- /appears just after the first consonant of the root.

# (7) RSV form: RSV morpheme /-1-/ + root (Finer 1986, 2 Josephs 1990)

simple form		RSV form		
bóes	'gun'	b <i>l</i> óes	'shot'	
ŋábək	'planing'	ŋ <i>l</i> ábək	'planed'	
káud	'dam'	k <i>l</i> áud	'dammed'	
lédes	'path'	l <i>l</i> édəs	'stretched'	

When the RSV infix /-1-/ appears within the reduplicated forms, the CVCV-reduplication and Ce-reduplication show different patterns. In the CVCV-reduplicated form, the RSV morpheme appears after the first consonant of the reduplicant. In the Ce-reduplicated form, it appears after the first consonant of the base.


# (8) RSV CVCV-reduplicated form (Josephs 1972, Finer 1986)


RSV unreduplicated form		RSV reduplicated form		
ŋ <i>l</i> ábək	'ironing'	<u>n</u> <i>1</i> əbənábək	'scraped all over'	
b <i>l</i> íi?	'filter'	<u>b</u> / <u>i</u> bíi?	'sorted out by type'	

# (9) RSV $C\varepsilon$ -reduplicated form (Josephs 1972, Finer 1986)

-	RSV unreduplicated form		-	RSV reduplicated form		
	ŋ <i>l</i> əmúl:ə	cut'		$\underline{\mathtt{ne}}$ η $I$ əmúl:ə	'not well cut'	
	b <i>Ι</i> εόρ	'shaped'		<u>bε</u> b1εóp	'round in shape'	

Given that CVCV-reduplicants are roots and Ce-reduplicants are affixes, we can generalize the pattern in (8)-(9); the RSV affix appears after the first consonant of the first <u>root</u>. Finer's (1986) observations on the morphological differences of the two reduplications are then captured as a result of the root/affix asymmetry. I propose the following morphological structures for unreduplicated and reduplicated forms:<sup>3</sup>





In the unreduplicated RSV form [ $kle\acute{a}ld$ ], the RSV marker /-1/ appears after the first consonant. In the CVCV RSV reduplicated form [ $nle\acute{a}ben\acute{a}bek$ ], the RSV marker appears after the first consonant of the first root. In the C $\epsilon$ -reduplicated RSV form [ $nenlem\acute{a}le\acute{a}$ ], the RSV marker appears after the first consonant of the root (base).

# 4. Apparent Problem: Vowel Quality

So far, I have argued that the CVCV-reduplicants are roots and the C $\epsilon$ -reduplicants are affixes. Urbanczyk (1999) argues that the root reduplicant may have more marked structure than the affix reduplicant. This claim implies that the C $\epsilon$ -reduplicant should have a <u>less</u> marked structure than the CVCV-reduplicants.

However, the least marked vowel (default vowel) [a] appears in the CVCVreduplicants, but it never appears in the Cε-reduplicants. Further, the fact that the affix reduplicant always has [ε] appears to be problematic for Alderete et. al's (1999) analysis of phonological fixed segments, which argues that the fixed segments in the reduplicants should be the default vowel and should be in the TETU condition.

In this section, I argue that the Cε-reduplicants have less marked structure than the CVCV-reduplicants and propose that [\varepsilon] is the second least marked vowel, which appears as a TETU effect when the default vowel [9] cannot appear. I first discuss CVCV-reduplication and then discuss Cε-reduplication.

# 4.1. CVCV-reduplication and its Variations

As shown above, CVCV-reduplication is realized in three different forms: CoCo, CoC, and CV. The examples are repeated below:

CəCə-form			
unreduplicated form		reduplicated form	n
nərébək	'grope at'	mə <u>rəbə</u> r£bək	'grope around'
nesú?ed	'talk harshly'	mə <u>sə?ə</u> sú?əd	'always talk harshly'
C <i>əC-form</i>	·		
ınreduplicate	d form	reduplicated form	n
aə <b>rám</b>	'be mixed'	mə <b>rəm</b> rám	'easy to mix'
nəsóŋdə	'break'	mə <u>sən</u> sóndə	'keep breaking'
CV-form			
ınreduplicate	d form	reduplicated form	n
nəŋióklə	'be cooked'	mə <u>ni</u> ŋióklə	'easy to cook'
ıəsúub	'get studied'	mə <u>su</u> súub	'easy to study'
	inreduplicate ierébek iesú?ed CeC-form inreduplicate ierám iesóŋde CV-form inreduplicate	nreduplicated form  nerébek 'grope at' nesú?ed 'talk harshly' CeC-form nreduplicated form nerám 'be mixed' nesónde 'break' CV-form nreduplicated form	reduplicated form  nerébek 'grope at' mereberébek nesú?ed 'talk harshly' mese?esú?ed  CeC-form nereduplicated form reduplicated form nesónde 'be mixed' meremrám nesónde 'break' mesensónde  CV-form nenreduplicated form reduplicated form nenreduplicated form reduplicated form nenreduplicated form reduplicated form nenniókle 'be cooked' meniniókle

When the first two syllables of the base are CV.CV(C), the reduplicant is Ce.Ce. as (11a). When the first syllable of the base is CVC, this syllable is duplicated with the vowel reduced to [9], as CoC in (11b). When the first two syllables of the base are CV.V(C), then the reduplicant is CV, copying the first consonant and either the first or second vowel, as (11c).<sup>3</sup>

To capture this close relation between the shape of the reduplicant and vowel quality, I propose that the default vowel [9] and coda each carry one mora, while other full vowels, such as [i], [a], [u], and [o], carry two moras. Assuming that the root-reduplicant must be a foot (ROOT=FOOT) and a foot contains two moras (FT-BN (µ)), the CVCV-reduplicant consists of two moras. To make the reduplicant bi-moraic, there are two options: copying two syllables, while reducing the full vowel to [ə], or copying one syllable while keeping the full vowel. So, the possible candidates for /mo+RED<sub>root</sub>+rébok/ would be [mərəbərébək] and \*[mərerébək]. Two syllables are copied in the first candidate and only one syllable is copied in the second. Since [moroborébok] is the correct form, the elements of the base must be copied as far as possible. These requirements on the reduplicant are translated into the following constraints:

- (12) a. FT-BN ( $\mu$ ): Every foot must have exactly two moras.
  - b. ROOT=FOOT: Every root must contain a foot.
  - c. PARSE-σ: Every syllable must be parsed into a foot.
  - d. ROOT MAX BR: Every element of the base has a correspondent in the root reduplicant.

The following tableau illustrates how these constraints work. The numbers under the segments indicate correspondence relations.

(13)/m⊖/-RED <sub>root</sub> -/rébək/	MAX IO,	Root	FT-BN	Rоот	Parse-
12345	IDENT IO	=Гоот	(μ)	Max BR	σ
a. mə( <u>rɛbə</u> )(rɛ́bək) 1234 12345		1	**!	*	*
b. mə( <u>rε)(bək</u> )(rέbək) 12 34 5 1234 5		*!	*		
c. mə( <u>re</u> )(rébək) 12 12345			*	***!	*
σd. m⊖( <u>rəbə</u> )(rέbək) 1234 12345		1	*	*	*

The candidate (13a) is ruled out for two violations of FT-BN( $\mu$ ) because the reduplicant has three moras: two for [ $\epsilon$ ] and one for [ $\epsilon$ ]. (13b) is ruled out by ROOT=FOOT, since the reduplicant equals two feet, not one foot. While the reduplicants in both (13c) and (13d) satisfy FT-BN( $\mu$ ), (13d) wins because of fewer violations of ROOT MAX BR.

When the first syllable of the base has a coda, the reduplicant is realized with the CoC form. Given that the coda is moraic in Palauan (Wilson 1972), the grammar in (13) predicts the CoC form, as shown in (14).

(14)/mə/-RED <sub>root</sub> -/rám/	MAX IO,	,	FT-BN	ROOT MAX BR	Parse-σ
	IDENT IO	=F001	(μ)	MAXDK	
a. mə( <u>ram</u> )(rám)		1 1 1 1 1	**!		
b. m⊖ <u>(ra</u> )(rám) 12 123			*	*!	*
℃c. m⊖( <u>r⊕m</u> )(rám)		1 4 1	*		

In (14a), every element in the base is copied in the reduplicant. Since the full vowel [a] carries two moras and the coda [m] carries one mora, the reduplicant has three moras, violating Ft-Bn( $\mu$ ). The reduplicants in (14b) and (14c) satisfy Ft-Bn( $\mu$ ). Since more elements in the base are copied in (14c) than in (14b), the candidate (14c) wins.

In the CV-form, such as  $[m \ni n \mid j \mid j \mid k \mid l \mid j]$ , the first syllable of the base is CV and the second syllable starts with vowel. Since the reduplicant must have two

moras, the possible candidates are  $[m \ni n \mid n \mid \delta k \mid e]$  and \* $[m \ni n \ni e \mid n \mid \delta k \mid e]$ . If the ONSET constraint (Syllable must have an onset) is ranked between MAX IO and ROOT MAX BR, the onsetless syllable appears only in the reduplicant. The grammar for [məninióklə], is shown in the following tableau:

(15)/me/-RED <sub>root</sub> -/niókl/ 12345	MAX IO, IDENT IO	Rоот =Fоот	FT-BN (µ)	ONSET	ROOT MAX BR
a. mə(ŋə)(ŋióklə) 12 123456		) ; ; ;	**!		****
∽ b. mə( <u>ni</u> )(nióklə)		5 	*	*	***
c. mə( <u>ŋəə</u> )(ŋióklə) 123 1234 5 6		1	*	**!	* *
d. m⊖( <u>nio</u> )(nióklə) 123 i 23456		1 1 1 1 1 1	**!	***	***

In (15b) and (15c), the reduplicant has two moras. (15c) has an onsetless syllable in the reduplicant. So, the constraint ONSET chooses (15b) over (15c). The introduction of ONSET does not affect (13) and (14), since every relevant syllable has an onset.

# 4.2. $C\varepsilon$ -reduplication

I have argued that CVCV-reduplication is root-reduplication and that the reduplicant sometimes has the least marked vowel [ə]. Urbanczyk (1999) argues that affix reduplicants tend to be less marked than root reduplicants because of root faithfulness constraints. Therefore, Urbanczyk's analysis predicts that no vowel besides [e] can appear in affix reduplicants. Alderete et. al (1999) also argue that the phonological fixed segment must be the default segment. Thus the fixed segment in the affix reduplicant should be [a]. However, the examples in (16) show that this is not the case.

# (16) $C\varepsilon$ -reduplication (Josephs 1990)

unreduplicated form		reduplicated for	reduplicated form			
m⊖?ú?⊖p	'cloudy'	mə <u>?ε</u> ?ú?əp	'rather cloudy'			
m⊖təgói	'be talked to'	mə <u>tε</u> təgói	'easy to talk'			
məsoðəl	'tear'	mə <u>se</u> sóðəl	'easily torn'			
mətoiáklə	'tall'	mə <u>tε</u> toiáklə	'fairly tall'			

The vowel in the C $\epsilon$ -reduplicant is always [ $\epsilon$ ], which is more marked than [ $\Theta$ ].

Because of the constraint ROOT=FOOT, the base is a foot. If the left edge of the affix reduplicant must coincide with the left edge of the foot (Align L (affix<sub>RED</sub>, foot)), the affix reduplicant must be a foot with two moras. The possible reduplicants for the base [2ú?əp] are then [2ɛ], \*[2ə?], and \*[2ə?ə]. Since the Ce-reduplicant has affix status, ROOT MAX BR is irrelevant here. When we compare [2ɛ] and \*[?ə?], we notice that the reduplicant [?ɛ] does not have coda, but \*[? $\theta$ ?] has a coda. When we compare [? $\epsilon$ ] and \*[? $\theta$ ? $\theta$ ], we notice that [? $\epsilon$ ]

has fewer syllables. Thus, the constraint which bans codas and the constraint which limits the number of syllables work crucially in  $C\varepsilon$ -reduplication.

(17) a. No Coda: Codas are not allowed.

(Kager 1999)

b. No STRUC- $\sigma$ : Syllable structure is not allowed.

(Prince and Smolensky 1993)

Since the correct reduplicant is one syllable without a coda, NO STRUC- $\sigma$  and NO CODA dominate MAX BR. The ranking of constraints is shown in the following tableau.

(18) /me/-RED <sub>affix</sub> -	FT-	ROOT	No	No	Max
/ʔúʔəp/	BN(μ)	MAX BR	CODA	STRUC-σ	BR
a. m⊖( <u>?ə?)</u> (?ú?əp)	*		**!	****	**
b. mə( <u>?ə)</u> (?ú?əp)	**!		*	****	***
c. mə( <u>?ə?ə</u> )(?ú?əp)	*		*	*****!	*
ுd. mə( <u>γε)(</u> γύγəp)	*		*	****	***

The candidate (18a) violates No Coda twice. The reduplicant in (18b) has only one mora. Thus, they are ruled out. The reduplicants in (18c) and (18d) have two moras. Since Root Max BR does not apply to the affix reduplicant, No Struc-σ chooses (18d). Notice that Root Max BR dominates the markedness constraints No Struc-σ/ No Coda. This ranking enables a coda and two syllables in the root reduplicant. At the same time, No Struc-σ and No Coda dominate (general) Max BR, so this grammar disallows [θ] to appear in the affix reduplicant.

So far, the shape of the  $C\epsilon$ -reduplicants and the non-occurrence of  $[\ni]$  are accounted for, but it is not yet explained why the vowel in the reduplicant should always be  $[\epsilon]$ . I propose that  $[\epsilon]$  is the second least marked vowel in Palauan and it appears under the TETU condition in which the default vowel  $[\ni]$  cannot appear.  $[\ni]$  does not have place features, such as [-back], [+high], [+low], or [+round]. Thus  $[\ni]$  never violates featural markedness constraints, such as [-back], [+high], [+h

(19) /mə/-RED <sub>affix</sub> -	No	* [+R]	*[+L]	*[+H]	*[-B]	Max
/ʔúʔəp/	CODA		•	 		BR
a. mə( <u>?ə?</u> )(?ú?əp)	**!	*				**
ு b. mə( <u>ʔε</u> )(ʔúʔəp)	*	*	! !		*	***
c. mə( <u>?i</u> )(?ú?əp)	*	*	!	*!	*	***
d. mə( <u>?a</u> )(?ú?əp)	*	*	*!			***
e. mə( <u>?u</u> )(?ú?əp)	*	**!				***

Among full vowels,  $[\varepsilon]$  is the least marked vowel, and hence (19b) is the output form. This tableau shows that the emergence of  $[\varepsilon]$  in the C $\varepsilon$ -reduplicant is a special case of TETU and it indicates that a non-default vowel can be the phonological fixed segment under some special conditions.

Note that even if the first syllable of the base is [a], [a] appears in the affix reduplicant.

(20) unreduplicat	ted form	reduplicated for	m
mə?əsáŋ	'busy'	mə <u>?ɛ</u> ʔəsáŋ	'kind of busy'
m⊖?əláoð	'content'	mə <u>?ɛ</u> ?əláoð	'rather content'
mərə?órə?	'steal'	îeròfer <u>ar</u> em	'keep stealing'

The realization of  $[\varepsilon]$  in the affix reduplicant can be explained with the above grammar. The tableau for  $[m\theta 2\varepsilon ?\theta s\acute{a}\eta]$  is as follows:

(21) /mə/-RED <sub>affix</sub> -	FT-BN	No	*[+R]	*[+L]	*[+H]	*[-B]	Max
/?əsaŋ/	(μ)	CODA					BR
a. mə( <u>?ə</u> )(?əsáŋ)	**!	*		*			***
ு b. mə( <u>?</u> ဥ)(?əsáŋ)	*	*		*		*	*
c. mə( <u>?i</u> )(?əsáŋ)	*	*		*	*!	*	***
d. mə( <u>?a</u> )(?əsáŋ)	*	*		**!			***
e. mə( <u>?u</u> )(?əsáŋ)	*	*	*!		*1		**

This tableau shows that [e] cannot appear in the reduplicant and instead, the next least marked vowel [e] appears in the reduplicant.

In this analysis,  $[\epsilon]$  is not specified in the input, yet the grammar guarantees the realization of  $[\epsilon]$ . This grammar shows that the phonological fixed segment can be a non-default vowel, but it is still one case of TETU. Thus, the realization of the fixed segment  $[\epsilon]$  in Palauan affix reduplication is consistent with Alderete et. al's (1999) analysis of phonological fixed segments. Further, the affix reduplicant is less marked than the root reduplicant, since it copies fewer segments. So, the root-affix asymmetries in the shape and vowel quality follow the implications of Urbanczyk's (1999) analysis. 9

### 5. Conclusion


In this paper, I identified the Palauan CVCV-reduplicant as a root and the Cereduplicant as an affix. While the affix reduplicants have a fixed non-default vowel, which looks problematic for Urbanczyk's (1999) claim and Alderete et. al's (1999) analysis, I showed the emergence of a non-default vowel is also a special case of TETU and the root reduplicants are more faithful to the base than the affix reduplicants due to a root faithfulness constraint.

This analysis implies that there are only two types of reduplicant in each language. While Palauan has CECVCV reduplication, in addition to Cereduplication and CVCV-reduplication, this case can be considered as a combination of the two reduplicative morphemes. However, some languages, such as Korean, have more than two types of reduplication (Cho 1999). These interesting cases need further research.

## **Endnotes**

ACKNOWLEDGEMENT: I am grateful to Christina Y. Bethin, Daniel L. Finer, three AFLA reviewers and specially to Ellen Broselow for helpful suggestions and comments. I also thank the audience at the Long Island Sound Meeting 2003 (Stony Brook) and at the 11<sup>th</sup> Annual Meeting of the Austronesian Formal Linguistic Association (Berlin) for useful discussion.

- 1. Zuraw (2001) observes CCə form as well, such as [o1-dme-dúm] (keep bobbing to surface of water). It seems that this is one version of the CəC variation. Zuraw argues that this is mostly conditioned by the surrounding consonants. This pattern is not covered in my analysis.
- 2. All data discussed by Finer (1986) are originally from Josephs (1975), McManus (1977) or Wilson (1972).
- 3. While Finer (1986) proposes the structures in (i), I propose the structures in (10) to apply Urbanczyk's (1999) analysis.



4. The RSV marker /-1-/ never appears at the left edge, and the left edge of the root is always aligned at the left edge of the prosodic word. At the same time, the RSV marker has to be just after the first consonant of the root. Therefore, the

RSV affix is aligned as close to the left edge of the prosodic word as possible with the constraints in (i).

- (i) a. ALIGN L (root, PrWd): The left edge of a root must coincide with the left edge of the prosodic word.
  - b. ALIGN L (RSV affix, PrWd): The left edge of the RSV affix must coincide with the left edge of the prosodic word.

When we look at the form [kle'ald], we notice that the alignment requirement for the root is stronger than the alignment requirement for the RSV affix, favoring the affix inside the root. This indicates that ALIGN L (root, PrWd) dominates ALIGN L (RSV affix, PrWd), as shown in the tableau (ii).

(ii)/l//keáld/	ALIGN L (root,PrWd)	ALIGN L (RSVaffix,PrWd)
♂a. [(kleáld)]		*
b. [(1keáld)]	*!	
c. [(keáld1)]		*****!
d. [(ke/áld)]		**!

For the RSV CVCV-reduplicated forms, we need the constraint in (iii) which dominates the constraints in (ii). The tableau is given in (iv).

(iii) ALIGN R (root, PrWd): The right edge of a root must coincide with the right edge of the prosodic word.

(iv)/l/-RED <sub>root</sub> -/rébek/	ALIGN R (root,PrWd)	ALIGN L (root,PrWd)	ALIGN L (RSVaffix,PrWd)
σa. [(rləbə)(rέbək)]	****	****	*
b. [(rəbə)(rlébək)]	******!	****	****
c. [( <u>lrəbə</u> )(rébək)]	****	******	

The same grammar explains the RSV Cε-reduplicated form.

- 5. It is not so clear which vowel is copied. Zuraw (2002) examines the vowel reduction and observes that the same vowel remains in the possessive form, in which vowel reduction takes place. So it seems there is a systematic way, but I do not see the mechanism of vowel reduction in the VV sequences.
- 6. If we assume that the full vowels have one mora and [ǝ] and codas do not carry any moras, we have to say that the foot can contain at most one mora for the CV case and we cannot exclude the reduplicant \*C⊕C⊕C or \*CVC⊕C or \*CVC. Further, the assumption that the coda does not have a mora fails to capture Wilson's (1972) observation on stress assignment.
- 7. When a word has a consonant cluster word finally, sometimes [ə] is inserted.

# (i) input simple form (Josephs 1975) /dakt/ dáktə 'fear' /mələ?olb/ mələ?ólbə 'bother' /kbokb/ kpókpə 'water' /bsibs/ psípsə 'drill'

Given that the epenthetic vowel is a default vowel (McCarthy and Prince 1994), [ $\theta$ ] is the default vowel in Palauan.

- 8. Since affix reduplicants involve more marked segments than some forms of the root reduplicants, Urbanczyk (1999) mentions that Palauan is a case of morphological overwriting (Alderete et al. 1999). The input of the reduplicated form  $[m \partial_{\mathcal{L}} \mathcal{L}^2 \mathcal{L}^2 \partial_{\mathcal{L}}]$  is thus considered /mo+RED<sub>affix</sub>+  $\varepsilon$ +  $2u2 \partial_{\mathcal{L}}$ , and only the first consonant of the base is copied. While the emergence of  $[\varepsilon]$  is predicted, assuming / $\varepsilon$ -/ in the input considerably weakens the claim that we can dispense with templates for reduplicants (McCarthy and Prince 1994). So, rather than assuming / $\varepsilon$ -/ in the input, I propose an analysis in which realization of  $[\varepsilon]$  is one instance of TETU in the text.
- 9. One of the reviewers pointed out that  $[\varepsilon]$  appears in the TETU condition in the possessive form as well. The possessive suffix is l-kl and the syllable which has this suffix always carries stress. When the noun stem ends with a consonant, the vowel  $[\varepsilon]$  is inserted.

(i) underlying form		possessive form		
/buŋa/	'flower'	[puŋák]	'my flower'	
/ŋalək/	'child'	[ŋaləkɛ́k]	'my child'	

Usually the inserted vowel is the least marked vowel. In Palauan, [ə] is the least marked vowel, but it cannot bear stress. So, the second least marked vowel [ɛ] appears. Because the stress shifts to the last syllable in the possessive form, the vowel reduction takes place in the possessive form in the same way as with the CVCV-reduplication (Wilson 1972, Finer 1986, and Zuraw 2002).

(ii) a. simple form	possessed for	<b>rm</b> (Josephs 1975, Finer 1986)
ŋór 'mouth'	ກູ <u>ອ</u> ເ <i>έk</i>	'my mouth'
bs <u>í</u> bs 'drill'	bs <u>e</u> bs <i>ék</i>	'my drill'
s <u>é</u> rs 'garden'	s <u>ə</u> rs <i>ék</i>	'my garden'
b. s <u>ái</u> k 'laziness'	s <u>i</u> k <i>ék</i>	'my laziness'
klak <u>oá</u> d 'fight'	klak <u>o</u> d <i>ék</i>	'my fight'
beróus 'dream'	ber <u>u</u> s <i>ék</i>	'my dream'

The possessive suffix has stress, and the stressed vowel in the root is reduced. When the CVCV-reduplication and the possessives are compared, we notice that vowel reduction takes place in the unstressed foot. To account for these two cases uniformly, MAX IO and IDENT IO should be considered as faithfulness constraints only for the stressed foot (MAX IO IN STRESSED FOOT, IDENT IO IN STRESSED FOOT), and general MAX IO and IDENT IO must be ranked lower than other

constraints. These constraints do not affect the elements in the base of reduplicated words, since the base itself is a stressed foot. The following is the tableau for the possessive form in (iia).

(iii)/nor/+/k/	MAX/IDENT IO	ROOT=	FT-BN	ONSET	ROOT
	IN STRESSED	FOOT	(μ)		MAX
	FOOT	: ! !			BR
ு a. (ŋər)(ɛ́k)		i ! (	*	* -	
b. (ηor)(έk)		1	**!	*	
c. (ŋər)(ék)	*!			*	

The candidate in (iiib) is ruled out, since both feet have three moras each and it violates FT-BN ( $\mu$ ) twice. (iiic) is ruled out because the second foot ( $\acute{e}k$ ) has stress and it is not faithful to the input. In the winning candidate (iiia), the vowel in the root is reduced. This change is allowed, since the foot for the base is not stressed and MAX/IDENT IO IN STRESSED FOOT is satisfied.

In (iib), one vowel is deleted and another vowel remains without being reduced to [e]. To explain this case, I have to assume the conjoined constraint [Max IO + Ident IO] (Smolensky 1993). This constraint is violated only if both Max IO and Ident IO are violated. It does not affect the tableau in (iii) because the correct form does not violate it.

(iv)/saik/+/ <i>ɛ́k</i> /	MAX/IDENT IO IN STRESSED FOOT	ROOT= FOOT	[MAX IO + IDENT IO]	FT-BN (µ)	ONSET
ு a. (sik)(έk)		1		**	*
b. (saik)(έk)		1		**	**!
c. (sək)(źk)		1	*!	×	*

(iv b) has two onsetless syllables, namely [ik] and  $[\acute{e}k]$ , violating ONSET twice. In the candidate (iv c), one of the vowels in the sequence is deleted, violating Max IO, and another vowel is reduced to  $[\bullet]$ , violating Ident IO. Since this candidate violates both Max IO and Ident IO, it violates the conjoined constraint [MAX IO + IDENT IO]. Given this analysis, vowel reduction takes place to satisfy FT-BN  $(\mu)$  in both possessive forms and reduplications.

## References

ALDERETE, JOHN D., JILL BECKMAN N., LAURA BENUA, AMALIA GNANADESIKAN E., JOHN MCCARTHY J., AND SUZANNE URBANCZYK. 1999. Reduplication with fixed segmentism. Linguistic Inquiry 30. 3, 327-364.

BECKMAN, JILL N. 1997. Positional faithfulness. Amherst: University of Massachusetts Amherst dissertation.

- CHO, YOUNG-MEE Y. 1999. Optimality in Korean reduplication. Harvard Studies in Korean Linguistics 8, 73-87.
- FINER, DANIEL L. 1986. Reduplication and verbal morphology in Palauan. The Linguistics Review 6, 99-130.
- JOSEPHS, LEWIS S. 1975. Palauan reference grammar. Honolulu: University of Hawaii Press.
- JOSEPHS, LEWIS S. 1990. New Palauan-English dictionary. Honolulu: University of Hawaii Press.
- KAGER, RENÉ. 1999. Optimality theory. Cambridge: Cambridge University Press.
- McCarthy, John J., and Alan Prince. 1994. The emergence of the unmarked: optimality in prosodic morphology. Proceedings of the North East Linguistic Society (NELS) 24. 333-379.
- McManus, Edwin S. J. 1977. Palauan-English dictionary. Honolulu: University of Hawaii Press.
- PRINCE, ALAN. AND PAUL SMOLENSKY. 1993. Optimality theory: Constraint interaction in generative grammar. Technical Report #2 of the Rutgers Center for Cognitive Science, Rutgers: Rutgers University.
- STERIADE, DONCA. 1995. Underspecification and markedness. The handbook of phonological theory, ed. by Goldsmith, John, 114-174. Oxford: Blackwell.
- SMOLENSKY, PAUL. 1993. Harmony, markedness, and phonological activity. [ROA-87, http://ruccs.rutgers.edu/roa.html]
- URBANCZYK, SUZANNE. 1999. Reduplicative size-segmentism correlations as root-affix asymmetries. ms. New Bruswick: Rutgers University,.
- WILSON, HELEN. 1972. The phonology and syntax of Palauan verb affixes. Honolulu: University of Hawaii dissertation.
- ZURAW, Kie. 2002. Vowel reduction in Palauan reduplications. Proceedings of AFLA 8.

Tomoko Kawamura
SUNY at Stony Brook
Department of Linguistics, SUNY at Stony Brook, NY 11794-4376,
U.S.A.
tkawamur@ic.sunysb.edu